

26.

Chapel

26

#15

Erysipelae

S. Anthony's fire

W^m Rankin

admitted March 12th (1819)

The
in origin
is a dispo
Even in
and a
water, w
he eme
and com
thor of
Sch
tion of the
very cert
already
applicat
piece of
then, in
which n
heretof
may n
O
ulation
it will
and
tion of
mass

The effects of Unguent. Hydrag. fort.
in erysipelas—

The erysipelas, rose, or St. Anthony's fire, is a disease which was well known to the ancients.

Even in the days of Hippocrates and Galen, it claimed a share of medical attention. But there is no writer, who has given it a better description than Cullen.

He enumerates all its symptoms with his usual precision and correctness. Besides this distinguished author, many others of later date have given it a place in their writings.

Although this disease has engaged, so much, the attention of the medical world, its treatment has not yet become very certain. Notwithstanding, its constitutional remedies, already in common use, are sufficiently successful, topical applications, to relieve the violent burning pain on the surface of the skin are very deficiently. My principal object, then, in this dissertation, shall be to propose some local remedy, which may be more successful in this indication, than those heretofore adopted. And if I fail in this design, my attempt may not be altogether useless, for it may have the effect of stimulating others to efforts more availing.

Before detailing the treatment of this disease, it will be necessary to give a general outline of its causes and symptoms.

Cullen defines erysipelas to be "an inflammatory affection of the skin, with hardly any evident swelling, of a mixed, and not very bright red colour, readily disappearing

[Faint, mostly illegible handwriting in a cursive script, likely from the 18th or 19th century. The text is written in a single column across the page.]

[Marginalia on the right side of the page, written in a cursive script.]
the paper
is regular
looking
partly, and
blotting
age; and
then, for

the are
strong
p

various
actual
-ticul

be we
most
old a
if var
center
hers,

-disc
-on
49, is
or ty
are
w.

upon pressure, but quickly returning again: the redness of no regular circumscription; but spreading unequally and continuing almost constantly to spread upon the neighbouring parts, with a pain like to that from burning; producing blisters sometimes of a small, and sometimes of a larger size; and always ending in a desquamation of the scaly skin, sometimes in gangrene.

The persons most predisposed to this disorder are the young and irritable, and those of a sanguine and choleric temperament.

The causes of erysipelas appear to be various, and to enumerate them all would be entirely nugatory; as they are laid down in a particular manner by a number excellent authors; we will therefore only mention a few of the most prominent; as wounds, fractures, bruises, cold damp air, heat too long continued, poisons of various kinds, passions of the mind, irritating contents of the alimentary canal, obstructed perspiration &c.

The efficacy of these causes in the production of the disease, depends very much upon the state of the constitution; to which also is, in part, to be ascribed the various grades or types of the complaint. Thus persons, that are addicted to any species of intemperance whether of eating or drinking, are more

[Faint, illegible handwriting, likely bleed-through from the reverse side of the page.]

little, upon
tasks of
and rest
the late
nothing
inflamed

erty and
tion, for
has low
and do
still e
that a

most po
previous
the ap
the C
am de
-ation
state of

-sopho
the f
owed
life pe
the o

liable, upon the reception of local injuries, to attacks of erysipelas, than such as are regular and restricted in their mode of living. In the latter instance, there would, probably, be nothing more than an unhealthy phlegmonous inflammation.

This disease has been ascribed by Hippocrates and Galen, to congestions of bile; but this doctrine, founded upon the old humoral pathology, has long since been rejected, except by Tissot and some other more modern writers, who still continue to advocate the principles of that antiquated system.

The preceeding agents act, for the most part, as exciting causes upon a constitution previously predisposed to the disease, and from the symptoms of gastric derangement with which the complaint is generally ushered in, I am disposed to believe that such a predisposition is often dependant upon a disordered state of the *primæ viæ*.

Authors have usually distinguished erysipelas from phlegmon, by the swelling in the former being not so much elevated or raised above the surface of the skin, and being less plainly circumscribed. In erysipelas the skin appears as if it were burned, the bright

and as
more is
part is
the de
wings
Darius
comes,
-ium,
always
taken
some t
appear
uable
the w
entire
upon
to sor
the p
nably
disap
ly e
After
upon
a th
out.
some

redness disappears upon pressure; the throbbing and darting pain attendant upon phlegmon is not here observable; and the inflamed part is free from tension.

The disease usually comes on with cold shiverings and other symptoms of febrile action. During the hot stage, the head, in general, becomes considerably affected, sometimes with delirium, drowsiness and coma. "The pulse is always frequent, and often full and hard." When these symptoms have continued for some time, a redness appears which gradually spreads from the part first affected to a considerable distance; if it be on the face, mostly over the whole of it, and at other times it extends entirely over the hairy scalp or descends upon the neck. The redness, after it has spread to some distance, generally disappears on the parts first affected. These become considerably swelled, and remain so after the redness disappears or abates. The whole face is considerably turgid and the eyelids often entirely closed. After some time, blisters of various sizes appear upon several portions of the face; these contain a thin yellowish liquor, which sooner or later flows out. In the blistered places, the surface of the skin sometimes becomes livid and blackish, yet it seldom

lamine
of the fo
the ten
consid
the age
ring th
the fac
bad is
the c
tion a
the com
the con
sploce
days of
after the
part or
together
return,
state of
From
our pro
princip
takes p
is so m
gree of
be we
of these

terminally in gangrene. The cuticle, on the parts of the face unaffected with blisters, towards the termination of the complaint suffers a considerable desquamation, and, occasionally, the eyelids suppurate in a slight degree. During the progress of the inflammation on the face, the fever suffers no abatement, but is sometimes considerably increased.

The customary duration of the inflammation and fever is about eight or ten days. If the coma and delirium go on increasing from the commencement, the patient generally dies apoplectic between the seventh and the eleventh days of the disease. When the event is favourable, after the inflammation has extended itself over part or whole of the face and head, it ceases and together with it the fever; leaving the patient to return, without any evident crisis, to his former state of health.

From the above remarks, it will appear that our prognosis in this disease will be founded, principally, upon the degree of derangement which takes place in the brain; when this organ is so much affected as to produce a high degree of delirium and coma, our prospects will be very unfavorable; but when few or none of these symptoms occur, the danger is com-

parative,
In such
and con
really,
of a con
pleasure,

now the
of the 2

of the e
treatmen

The

does the

the dis

which

report to

ment

affection

The

carried

the sym

really

blood

of open

rat a

paratively small.

Erysipelas, was, by some of the ancients considered contagious; but this idea is now very decidedly exploded, and I believe it to be no more of a contagious nature than intermitting fever, pleurisy, or rheumatism.

One attack of the disease mostly predisposes the system to frequent subsequent returns of the same complaint.

After having, thus, given a statement of the causes and symptoms of this disease, its treatment will next engage our attention.

The principal indications of cure are to reduce the general circulation, and to relieve the distressing pain and burning sensation which is experienced on the surface of skin.

To fulfill the first indication, we must resort to the general antiphlogistic plan of treatment which is customary in other fibrile affections.

The evacuations of blood letting and purging carried to as great an extent, as the urgency of the symptoms, at the time, may require, are especially indicated. The best mode of extracting blood, in this disorder, is the usual method of opening a vein in the arm, or the temporal artery; or local bleeding, by leeches or cups.

every op
view wh
Hudson
with h
arise
ma co
equum
feel na
The
can more
have de
conflict
unice
only has
the m
There
to in this
such a
hart, an
the force
effect of
progress
in
of the de
attention
harty of

is very apt to be succeeded by those troublesome ulcers, which the disease, when it terminates in effusion sometimes produces.

Diaphoretic medicines accompanied with plentiful delusion will often be very advisable, and in cases where delirium and coma rise to a considerable extent, semicupium, together with sinapisms applied to the feet, have also a very beneficial tendency.

The local applications which have been recommended, are very numerous, many of which have deservedly fallen into disuse; therefore a complete enumeration of them would be an unnecessary waste of our time. We shall, then, only mention those which are now considered the most efficacious. And first of blisters,

these have long since been invariably resorted to in this complaint; they ought to be applied in such a manner, as to cover the whole inflamed part; and also extend a small distance over the sound skin. They have, in general, the effect of putting an immediate stop to the progress of the inflammation, and of relieving in some degree, all the other symptoms of the disease; but a very great inconvenience attending their use, is, that there are certain parts of the body, upon which they cannot

the, c. n.

the

of

le

tion of

legally

com

the ob

but

of this

able

To p

unpl

the

receiv

in ory

not pe

reduc

of the

it is

exten

with

the

the

I will

Dec.

that

be, conveniently applied, such as the face &c.

Might not the decoction of cantharides be very advantageously substituted.

A very common, and grateful application is oatmeal or rye flour; it must be lightly dusted upon the part, and after becoming warm, wiped off, and renewed. The object of this is to allay the itching and burning which are characteristic symptoms of this disease, and to impart an agreeable sensation of coolness.

To fulfill the same indications, the ungl. hydrarg. fort. is perhaps inferior to no other prescription. The efficacy of the mercurial ointment, as a local application in erysipelas, has been so well tested in our part of the country, that I have been induced to make it the principal subject of this dissertation, more especially, as it is a remedy, which as far as my reading extends, I do not recollect to have met with in any medical author.

The credit of having discovered the beneficent tendency of the ointment in erysipelas, I believe is due to my Disceptor Public. &c. &c. I can, I understand from the Doct. that this application was suggested to

to him
partic
trial,
sugge
sever
-ness
induce
of a c
the m
-er of
-stic
-tary
-ment
-ation
sympto
-ring
-se s
a very
The
J. C.
way to
-flect
-nated
such d
-terior
-flame

to him from doing its very excellent of-
fice in purpurial sort leg.

The first case in which it had a
trial, was that of Mr W. N. who was
seized, in the spring of 1817 with an epi-
demically epidemic on the legs accompa-
-nied with a fever of a typhoid description,
induced, most probably, in consequence
of a long continued varicose state of
the veins in those parts, a great num-
-ber of other remedies were previously re-
-sorted to, but without any evidently
-valuable effect. After the application of the
mercurial ointment the pain and inflam-
-mation abated, and all the other distressing
symptoms very speedily disappeared. This
young man has since had another attack
of a similar nature, and was cured, in
a very short time, by the same remedy.

The subject of the second case was Miss
J. C. During the summer of 1817 she
was taken with a violent erysipellatous
affection of the inferior extremities, which
resisted all the extraordinary remedies for
such disorders, even blisters applied so
extensively as to cover entirely the in-
-flamed portion of the skin, had but

The impu-
dent, the
the man
is to be
and may
with. The
some piece
on subject
some com-
be the pa
in all these
modestly
the invir
honesty
base
in favor
and the
the seven
as a piece
- reception
to be
dears to
relative
to order
the comedy
with a
the most

little impression. After all other resources failed; the mercurial ointment was used with almost immediate benefit; the pain and itching quickly subsided, and the patient was soon restored to her usual state of health. This young Lady, perhaps, in consequence of some peculiarity of constitution, has, since, been subject to frequent eruptions of the same complaint; but her face seems, now, to be the part most subject to its influence. In all these latter attacks, the ointment was used immediately upon the accession of the complaint, with the invariable result of putting an instantaneous termination to her sufferings.

Case third. M^r. J. P. - was attacked in February 1810 with an extensive erysipelatous eruption on the back attended with a severe pain and itching; the ointment was applied with the happy effect of speedily arresting its progress.

Our fourth case is that of M^{rs}. J. who was taken in the spring of 1810 with an extensive erysipelatous eruption, together with all its ordinary symptoms. The application of our remedy in this instance, also, was crowned with ample success.

In most of the cases which we have cited,

his subjects
at a distance
and used
and greatly
immediate

Res

visions of
continent
testimony of
sincerely
thoroughly
commence

I

I think
are made
with

can say
that it is

other one
piece of
itself. The

when we
substantially
the treat

ment is given
a specific

Thus, at the

The subjects of them always expressed the greatest satisfaction, stating that no application, they ever used before, had produced such pleasing and grateful sensations or had given them such immediate relief.

Besides the proofs which the above observations afford, of the good effects of mercurial ointment in this disorder; we have also the testimony of other respectable Physicians of our vicinity, to whom, partly, with a view of more thoroughly testing its efficacy, it was previously communicated.

From a view of what has been stated I think myself authorised in recommending our medicine, in terms the most exalted.

With respect to its modus operandi, we can say nothing very certain; but it is probable that it acts, here, in the same way as it does in other eruptive disorders; by substituting, in place of the diseased action, one peculiar to itself. This will seem not at all improbable, when we take into view the great analogy which subsists between this and other eruptions, in the treatment of which, the mercurial ointment is generally considered in the light of a specific; as for instance the psora or itch. This, although not similar to erysipelas

... of the
... of the
... the
... the same
... distinctly
...
... could
... of operan
... of the a
... of an
... at the
... always qu
... the. Mor
... system,
... a dep
... random
... which it
... very
... fail to
... on the
... the
... principle
... Now
... which we
... ment.
... that will

in every particular, resembles it very much in several of its most prominent features; as pain and itching of the skin, a slight febrile action, and the eruption at first being much of the same appearance, although rather more distinctly circumscribed.

That this is its mode of acting is also rendered more certain, from the modus operandi in general diseases. It is a law of the animal economy, that no two actions of an opposite kind, can exist in the system at the same time; the one will always give way to the influence of the other. Mercury, for example, being taken into the system, while labouring under disease, excites a disorder of a specific nature, to the predominating power of which, the affection, which it was intended to relieve, in most cases very speedily yields. It is, then, not unfair to conclude that its healthy influence on the surface of the skin, in erysipelas &c depends precisely on the same principle.

Notwithstanding the very high encomiums which we have bestowed upon the mercurial ointment, we are aware of another remedy that will answer the same indications;

for which
relative gen
clude to
ation of op
uable won
Medica.

I a
way affor
ting of th
active va
and this p
commendatio
authorily
man, I p
solution of
quisition
It may,
almost exp
in the treat
resources
such wou
of such w
on account
or other
remedies,
therefore, U
our regou
should not

for which I believe we are indebted to the speculative genius of Doct^r M. Chapman, I allude to his prescription of the watery solution of opium, as contained in his invaluable work on *therapeutices and Materia Medica*.

I am very sorry that no opportunity was afforded me, previously to the writing of this essay to ascertain the comparative value of the mercurial ointment and this prescription. But from the recommendation of such high and respectable authority as the above mentioned gentleman, I make no doubt that the watery solution of opium is a most valuable acquisition in this distressing disease.


It may, perhaps, seem to some, at first view, almost superfluous, to introduce new remedies, in the treatment of disorders, for which our resources are already competent; but if such would only reflect a moment, had it ~~of much~~ would be recollected that, perhaps, on account of some peculiarity of constitution, or other unknown cause, our most certain remedies, in some cases, entirely fail. It, therefore, becomes essentially necessary that our resources to fulfill the same indications should not be too limited.

The office
subject of
jurisdiction
to virtues
and a gr
the adva
probability
others in

Before
sider m
obligation
warmest
sistent oth
trance, i
insapour
Mundy, M
much h
superstice
avor to


The efficacy of mercurial ointment in
syphilis, is intended, shortly to be made the
subject of a communication to some of the
periodical works of Philadelphia; so that
its virtues may be more thoroughly ascertained,
and a greater portion of mankind receive
the advantage of a medicine, which in all
probability, will equal; if not surpass all
others in the treatment of this disease.

Before leaving this University, I con-
sider myself under the most pressing
obligations, thus publicly, to express my
warmest gratitude, to the great and em-
inent characters, who have, since my en-
trance into their school, been so assiduously
engaged, to establish in our youthful
minds, the rudiments of a profession, up-
on which, if we take care to build well the
superstructure, it cannot fail of doing
honor to every individual among us.




















R. a